

**GATOR FABRIC GF 20 POLYSPUN  
FOR GARDEN AND LANDSCAPE COVERINGS**

TDS Revision Date (dd/mm/yyyy): 24/01/2022

# TECHNICAL DATA SHEET

**Update:** January 24, 2022  
Make sure you have an updated data sheet on hand.  
Canada and U.S. dial 1-855-847-7767 or (450) 624-1611

**Description:** **Gator Fabric GF20 Polyspun** is an excellent geotextile that protects against the growth of weeds. It is specially formulated to resist deterioration due to exposure to ultraviolet light and is inert to commonly encountered soil chemicals. **Gator Fabric GF20 Polyspun** will not rot or mildew, and is non-biodegradable. Comes with a 20-year warranty.

**Features:**

- Soil separation
- Reduce weed growth
- Allows water, fertilizer and air to pass through
- Inert to soil chemicals (Alkalis, Acids)
- Inert to biological degradation
- Easy to cut

**Uses:**

- Garden
- Flower bed
- Landscape covering
- Weed control
- Soil separation
- Mulched areas
- Mulch or decorative rock garden
- Separation barrier for plantation

**Roll sizes:**

- 3' X 50'
- 3' X 100'
- 4' X 50'
- 4' X 100'
- 6' X 100'
- 6' X 300'

**Typical Properties:**

Properties	Test method (ASTM)	Units	Results	
			Machine Direction (MD)	Cross Direction (CD)
Weight per surface (typical)	D5261	oz/yd <sup>2</sup> (gsm)	3 (100)	
Grab Tensile Strength	D4632	lbf (N)	60 (270)	50 (225)
Grab Tensile Elongation	D4632	%	75	75
Flow Rate	D4491	Gal/min/ft <sup>2</sup> (l/min/m <sup>2</sup> )	170 (6683)	
UV Resistance	D4355	% strength retained	> 70	



1800 Berlier st., suite 200, Laval, Quebec, Canada H7L 4S4  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.polybind.com - Email : info@polybind.com



## GATOR FABRIC GF 20 POLYSPUN FOR GARDEN AND LANDSCAPE COVERINGS

TDS Revision Date (dd/mm/yyyy): 24/01/2022

### Installation instructions:

Method of installation of **Gator Fabric GF 20** for drainage and soil separation:



1

Excavate the soil in the location of the project according to the to best practices.



2

With a rake, even out and level the soil as the underbed of your landscape installation.




3

Apply **Gator Fabric GF20 Polyspun** Geotextile to the entire base of the hardscape installation and trim to size.



4

Spread mulch or selected ground cover on top of installed geotextile, then plant flowers and bushes according to desired landscape.



1800 Berlier st., suite 200, Laval, Quebec, Canada H7L 4S4  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.polybind.com - Email : info@polybind.com

**GATOR FABRIC GF 20 POLYSPUN  
FOR GARDEN AND LANDSCAPE COVERINGS**

TDS Revision Date (dd/mm/yyyy): 24/01/2022

**Packaging:**

Size of the roll	Lbs / Roll	Packaging
3' X 50'	5	4 boxes = 64 rolls
3' X 100'	9	4 boxes= 36 rolls
4' X 50'	6	4 boxes = 64 rolls
4' X 100'	12	4 boxes= 36 rolls
6' X 100'	19	30 rolls

**Disclaimer for GF 20:**

Information regarding the physical properties, performance and permitted use of Alliance Designer Products Inc.'s Gator Fabric products is, to the best of our knowledge, reliable. However, Alliance Designer Products Inc. assumes no liability for the accuracy or completeness of this information or for its ultimate use. As Alliance Designer Products Inc. has no control over methods of use and field conditions, Alliance Designer Products Inc. disclaims all warranties, expressed or implied, including, without limitation, the warranties of merchantability and/or fitness for a particular purpose and as to quality. The final determination as to the appropriateness or suitability of any Gator Fabric product in any particular application rests with the end user and is the end user's sole responsibility. This document should not be construed as engineering advice.



1800 Berlier st., suite 200, Laval, Quebec, Canada H7L 4S4  
Tel.: 450 624-1611 Fax : 450 624-1622 Toll free : 1 866-212-1611  
www.polybind.com - Email : info@polybind.com